



Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd.
<https://www.hkal.co.za>

9 Regent Park
 Bell Crescent
 Westlake Business Park
 Cape Town, South Africa
 7945
 Tel: +27 21 702-4131
 Email: admin@hkal.co.za

Test Report

Werda Boerdery
 P.O. Box 5298
 Worcester
 6851

Report Reference: 235105
 Issue Date: 11/02/2022

Attention: Pieter Conradie

Customer reference:

Samples Received: 02/02/2022

Analysis started: 02/02/2022

This report is issued in accordance with the requirements of ISO/IEC 17025

All samples were received in a condition adequate for testing.

This report supercedes report reference: None

Methods used in the analysis	MRLs reported
FF01 (GC-ECD)	EU - European Union
FF02 (GC-MSMS)	CND - Canada
LCMS (LC-MSMS)	RUS - Russia
	UK - United Kingdom
	USA - United States

Results Summary

Internal reference: 22070171

Sample description

Producer: Hans
 Producer Code: H0152
 PHC: H2744
 Orchard: 131
 Sampling Date: 02/02/2022
 Commodity: Grape
 Cultivar: Sweet Globe

Compound(s) Detected	Residue [mg/kg]	MRL's [mg/kg]					%ARfD
		EU	CND	RUS	UK	USA	
Fluopyram	0.072	2.00	2.00	1.00	1.50	----	1.1
Penconazole	0.017	0.50	0.10	0.30	0.50	----	0.2

K.D. Hearshaw (Technical signatory)

The results on this report are only applicable to the samples, as received by the laboratory.

This report may not be reproduced, except in full, without the written permission of Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd.

While all reasonable care has been taken in checking and updating the MRL information on this report, Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd. accepts no responsibility for the accuracy, reliability or completeness of the information provided.

The expanded uncertainty of measurement of the results on this report are < 50% at the 95% confidence level with a coverage factor of 2, in accordance

with SANTE/12682/2019, paragraph E13

The ARfD values on this report are calculated using the efsa model primo rev. 3



T0232



Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd.

Internal reference: 22070172

Sample description

Producer Hans
Producer Code H0116
PHC H2744
Orchard SG (1)
Sampling Date 02/02/2022
Commodity Grape
Cultivar Sweet Globe

MRL's [mg/kg]

<i>Compound(s) Detected</i>	<i>Residue [mg/kg]</i>	<i>EU</i>	<i>CND</i>	<i>RUS</i>	<i>UK</i>	<i>USA</i>	<i>%ARfD</i>
Boscalid	0.031	5.00	3.50	5.00	5.00	----	N/A
Fenhexamid	0.48	15.00	4.00	15.00	15.00	----	N/A
Fluopyram	0.12	2.00	2.00	1.00	1.50	----	1.7
Penconazole	0.025	0.50	0.10	0.30	0.50	----	0.4

Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd.

The following compounds were sought, but not detected above their reporting limits [mg/kg], for the sample(s) on report 235105, unless specified in the body of the report.

FF01 (GC-ECD)

Captan (Captab)	0.1	Pirimiphos-methyl	0.01
-----------------	-----	-------------------	------

LCMS (LC-MSMS)

2,4D (Free Acid)	0.01	Abamectin	0.01	Acephate	0.01
Acetamiprid	0.01	Acetochlor	0.01	Acibenzolar-S-Methyl	0.01
Aldicarb	0.01	Aldicarb Sulphone (Aldoxycarb)	0.01	Aldicarb Sulphoxide	0.01
Ametoctradin	0.01	Ametryn	0.01	Atrazine	0.01
Azadirachtin	0.01	Benalaxyl	0.01	Benomyl (see Carbendazim)	0.01
Bentazone	0.01	Benthiavalcarb-isopropyl	0.01	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C10, C12, C14 and C16)	0.05
Bifenazate	0.01	Bitertanol	0.01	Bromacil	0.1
Bromoxynil	0.01	Bromuconazole (sum of diastereoisomers)	0.01	Buprofezin	0.01
Cadusafos	0.01	Carbaryl	0.01	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	0.01
Carbofuran	0.01	Carbofuran-3-hydroxy	0.01	Chloramizol (Imazalil)	0.01
Chlorantraniliprole	0.01	Chlorimuron-ethyl	0.01	Chlorsulfuron	0.01
Clethodim	0.01	Clofentezine	0.01	Cloprop	0.01
Clothianidin	0.01	Cyanazine	0.01	Cyantraniliprole	0.01
Cycloxidim	0.01	Cyflufenamid	0.01	Cyhexatin	0.01
Cymoxanil	0.01	Cyprodinil	0.01	Cyromazine	0.01
Demeton-S-Methyl	0.01	Demeton-S-methyl Sulphone	0.01	Demeton-S-Methyl-Sulfoxide	0.01
Diafenthiuron	0.01	Diazinon	0.01	Dichlorprop (Free Acid) (including Dichlorprop-P)	0.01
Dichlorvos	0.01	Diclosulam	0.01	Didecyltrimethylammonium Chloride	0.02
Diethyltoluamide	0.01	Difenoconazole	0.01	Diflubenzuron	0.01
Diflufenican	0.01	Dimethoate	0.01	Dimethomorph	0.01
Dioxacarb	0.01	Diuron	0.01	Dodine	0.01
Emamectin benzoate B1a, expressed as emamectin	0.01	Epoxiconazole	0.01	Etozazole	0.01
Fenamidone	0.01	Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)	0.01	Fenazaquin	0.01
Fenbuconazole	0.01	Fenbutatin-Oxide	0.01	Fenhexamid	0.01
Fenoxycarb	0.05	Fenpyroximate	0.01	Fentin Hydroxide	0.01
Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)	0.005	Fipronil sulfone	0.01	Flonicamid (Sum of Flonicamid & Flonicamid TFNA & Flonicamid TFNG)	0.01
Fluazifop (free acid)	0.01	Fluazinam	0.01	Flubendiamide	0.01
Fludioxonil	0.01	Flufenoxuron	0.01	Flumetsulam	0.01
Fluopicolide	0.01	Fluopyram	0.01	Flupyradifurone	0.01
Fluquinconazole	0.01	Flusilazole	0.01	Flutriafol	0.01
Fluxapyroxad	0.01	Fomesafen	0.01	Formetanate	0.01
Haloxifop (free acid)	0.01	Imazapyr	0.01	Imazethapyr	0.01
Imidacloprid	0.01	Indaziflam	0.01	Indoxacarb	0.01



Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd.

LCMS (LC-MSMS)

Iprovalicarb	0.01	Isazofos	0.01	Isofetamid	0.01
Linuron	0.01	Lufenuron	0.01	Malaoxon	0.01
Mandipropamid	0.01	MCPA	0.01	Mefenoxam (Metalaxyl)	0.01
Mesotrione	0.01	Methamidophos	0.01	Methiocarb (Sum of Methiocarb, its sulphone & sulphoxide)	0.01
Methiocarb sulfoxide	0.01	Methiocarb-sulfone	0.01	Methomyl	0.01
Methoxyfenocide	0.01	Mevinphos	0.01	Monocrotophos	0.01
Novaluron	0.01	Omethoate	0.01	Oryzalin	0.01
* Oxadiazon	0.01	Oxamyl (sum of oxamyl and its oxime expressed as oxamyl)	0.01	Oxamyl-oxime	0.01
Oxydemeton-methyl	0.01	Paclobutrazole	0.01	Penthiopyrad	0.01
Phosalone	0.01	Phoxim	0.01	Piperonyl Butoxide	0.01
Pirimicarb	0.01	Prochloraz	0.01	Prometryn	0.01
Propamocarb	0.01	Propaquizafop	0.01	Propargite	0.01
Prosulfocarb	0.01	Prothioconazole	0.01	Pymetrozine	0.01
Pyraclostrobin	0.01	Pyrethrins (Sum of Cinerin I & II; Jasmolin I & II; Pyrethrin I & II)	0.01	Pyridaben	0.01
Pyridalyl	0.01	Pyridate	0.01	Pyrimethanil	0.01
Pyriproxyfen	0.01	Pyroxsulam	0.01	Rimsulfuron	0.01
Rotenone	0.01	Saflufenacil	0.01	Simazine	0.01
Spinetoram	0.01	Spinosad	0.01	Spirodiclofen	0.01
Spiromesifen	0.01	Spirotetramat (BYI08330-enol, BYI08330-ketohydroxy and BYI08330-enol-glucoside), expressed as Spirotetramat	0.01	Spiroxamine	0.01
Sulcotrione	0.01	Sulfoxaflor	0.01	Tebuconazole	0.01
Tebufenozide	0.01	Tebuthiuron	0.01	Teflubenzuron	0.01
Temephos	0.01	Terbutylazine	0.01	Tetrachlorvinphos	0.01
Thiabendazole	0.01	Thiacloprid	0.01	Thiadiazuron	0.01
Thiamethoxam (Sum of thiamethoxam and clothianidin, expressed as thiamethoxam)	0.01	Thiophanate-methyl	0.01	Triadimefon	0.02
Triadimenol	0.02	Trichlorfon	0.01	Triclopyr	0.01
Trifloxystrobin	0.01	Triflumuron	0.01	Triforine	0.01
Triticonazole	0.01	Valifenalate	0.01	Vamidothion	0.01

Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd.

FF02 (GC-MSMS)

2,4-DDD	0.01	2,4-DDE	0.01	2,4-DDT	0.01
4,4-DDE	0.01	4,4-DDT	0.01	Acrinathrin	0.01
Alachlor	0.01	Aldrin	0.01	Allethrin	0.01
Alpha-BHC (Alpha-hexachlorocyclohexane)	0.01	Azaconazole	0.01	Azinphos-ethyl	0.01
Azinphos-methyl	0.01	Azoxystrobin	0.01	Bendiocarb	0.01
Benfluralin	0.01	Beta-BHC (Beta-hexachlorocyclohexane)	0.01	Bifenthrin (sum of isomers)	0.01
Boscalid	0.01*	Bromocyclen	0.01	Bromophos-Ethyl	0.01
Bromophos-Methyl	0.01	Bromopropylate	0.01	Bupirimate	0.01
Carbophenothion	0.01	Chinomethionate	0.01	Chlordane Alpha	0.01
Chlordane Gamma	0.01	Chlorfenson	0.01	Chlorfenvinphos	0.01
Chlorothalonil	0.01	Chlorphenapyr	0.01	Chlorpyrifos	0.01
Chlorpyrifos-methyl	0.01	Chlorthal-dimethyl	0.01	Clomazone	0.01
Coumaphos	0.01	Cycloate	0.01	Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	0.01
Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0.01	Cyproconazole	0.01	Deltamethrin	0.01
Desmetryne	0.01	Dichlobutrazole	0.01	Dichlofenthion	0.01
Dichlofluanid	0.01	Diclofop-methyl	0.01	Dicloran	0.01
Dieldrin	0.01	Dimoxystrobin	0.01	Diniconazole	0.01
Dinobuton	0.01	Diofenolan	0.01	Diphenylamine	0.01
Endosulfan (Sum of alpha, beta endosulfan and endosulfan sulphate)	0.01	Endrin	0.01	EPN	0.01
Etaconazole	0.01	Ethion	0.01	Ethofumesate	0.01
Ethoprophos	0.01*	Ethoxyquin	0.05	Etofenprox	0.01
Etridiazole	0.01	Famoxadone	0.01	Fenarimol	0.01
Fenitrothion	0.01	Fenoxaprop-P-ethyl	0.01	Fenpropathrin	0.01
Fenson	0.01	Fenthion	0.01	Fenthion-oxon-sulfone	0.01
Fenthion-oxon-sulfoxide	0.01	Fenthion-sulfone	0.01	Fenthion-sulfoxide	0.01
Fenvalerate (Sum of isomers, including esfenvalerate)	0.01	Flamprop-methyl	0.01*	Fluchloralin	0.01
Flumioxazine	0.01	Fluorochloridone	0.01*	Folpet (sum of folpet and phthalimide, expressed as folpet)	0.01
Fonofos	0.01	Gamma-BHC (Gamma-hexachlorocyclohexane, Lindane)	0.01	Heptachlor	0.01
Heptachlor-endo-epoxide	0.01	Heptachlor-exo-epoxide	0.01	Heptenophos	0.01
Hexachlorobenzene	0.01	Hexaconazole	0.01	Iprodione	0.01
Isofenphos	0.01	Isofenphos-methyl	0.01	Kresoxim-methyl	0.01
Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers)	0.01	Mecarbam	0.01	Mepanipyrim	0.01
Mepronil	0.01	Mercaptothion (Malathion)	0.01	Metazachlor	0.01
Methodathion	0.01	Metolachlor	0.01	Metrafenone	0.01
Metribuzin	0.01	Mirex	0.01	Molinate	0.01
Myclobutanil	0.01	Nitrothal-isopropyl	0.01	Nuarimol	0.01
Ofurace	0.01	Ortho Phenyl Phenol (2-Phenylphenol)	0.01	Oxadixyl	0.01
Oxyfluorfen	0.01	Paraoxon-ethyl	0.01	Paraoxon-methyl	0.01



Hearshaw and Kinnes Analytical Laboratory (Pty) Ltd.

FF02 (GC-MSMS)

Parathion-ethyl	0.01	Parathion-methyl	0.01	Penconazole	0.01
Pendimethalin	0.01	Pentachloroanisole	0.01	Pentachloroaniline	0.01
Permethrin (sum of isomers)	0.01	Phenthoate	0.01	Phorate	0.01
Phosmet	0.01	Picoxystrobin	0.01	Pirimiphos-ethyl	0.01
Procymidone	0.01	Profenofos	0.01	Profluralin	0.01
Promecarb	0.01	Propachlor	0.01	Propiconazole (sum of isomers)	0.01
Propoxur	0.01	Propyzamide	0.01	Proquinazid	0.01
Prothiofos	0.01	Pyraflufen-ethyl	0.01	Pyrazophos	0.01
Pyridaphenthion	0.01	Pyrifenox	0.01	Quinoxifen	0.01
Quintozene	0.01	Quizalofop-ethyl	0.01	Sulfentrazone	0.01
Sulfotep	0.01	tau-Fluvalinate	0.01	Tefluthrin	0.01
Terbufos	0.01	Terbutryn	0.01	Tetraconazole	0.01
Tetradifon	0.01	Tetramethrin	0.01	Tolclofos-methyl	0.01
Tri-allate	0.01	Triazophos	0.01	Triflumizole	0.01
Trifluralin	0.01	Uniconazole	0.01	Vinclozolin	0.01
Zoxamide	0.01				

* indicates that this determination is not included in the scope of accreditation for the laboratory

***** end of report *****